

Phone: 425.771.2182
 Fax: 425.771.2650
 7030 220TH St. SW
 Mountlake Terrace, WA 98043
sales@sea-dmi.com
 MSRP Ver 7.1 – Effective 1/1/07

SEA Marine Communications Equipment Price List

MSRP

VHF Marine Radiotelephones


US Dollars

157	VHF FM DSC Radio with SC101 operations The SEA 157 with USCG approved SC101 technology offers high performance and DSC operations for all marine VHF applications. For operation on 13.6 VDC negative ground.	\$799.00
157SD	DSC VHF/FM Radiotelephone with Class D GMDSS operations The SEA 157S with Microprocessor and DSP technology, dual receivers and a graphics display offers new levels of features and performance, along with Class D DSC operation for all marine VHF applications. For operation on 13.6 VDC negative ground. Available April 2007.	\$999.00
157SA	DSC VHF/FM with Class A GMDSS operations / supplied with external 12/24VDC Power Convertor. Available April 2007.	\$1,799.00
157SA/R	DSC VHF/FM with Class A GMDSS and capable of Remote operations/ supplied with 24/12VDC External Power Convertor. Available April 2007.	\$1,999.00
157/157S Furnished with: Standard palm microphone, trunnion mounting bracket, flush mount brackets and operator's manual		
157/157S Options and Accessories:		
VR4 JB	Junction Box for up to 4 Remote 157SA/R units	\$775.00
ASP -20-C	20 Pin Connector for 157SA/R Remote models, Male /Female bulk pack	\$125.00
MIC-0157-M9	Standard palm microphone	\$49.00
MIC-0002-031	Handset with cradle	\$199.00
KIT-0157-30	Flush mount Kit	\$45.00
SPE-0500-25	Remote speaker with bracket	\$55.00
OPR-157	Operator's manual	\$19.00
OPR-157SD	Operator's manual for Class D	\$55.00
OPR-157SA/R	Operator's manual for Class A & Remote	\$75.00
7157	VHF/FM Radiotelephone with Integral Class A DSC The SEA 7157 includes an integral Class A DSC and Channel 70 watch receiver for all commercial and recreational applications. GMDSS approved. For operation from 12 or 24 VDC (internally strappable) isolated, positive, or negative ground.	\$2,199.00
7157 Furnished with: Standard palm microphone, trunnion mounting bracket, accessory connector and operator's manual		
7157/7157H Options and Accessories:		
MIC-235-M9	Standard palm microphone	\$49.00
MIC-0002-031	Handset with cradle	\$199.00
SPE-0500-25	Remote speaker with bracket	\$55.00
KIT-0235-30	Flush mount kit	\$199.00
OPR-7157	Operator's manual	\$49.00
MAN-7157	Service manual	\$65.00

SEAHAIL Loudhailer

US Dollars

857	60-Watt Loudhailer with Intercom The SEA 857 loudhailer offers 60-watts hailer output (into 4 ohms horns) and 5-watt intercom capabilities for commercial and recreational shipboard communications. For operation on 13.6 VDC negative ground.	\$799.00
857 Furnished with: Standard palm microphone, trunnion mounting bracket, flush mount brackets and operator's manual		
857 Options and Accessories:		
MIC-0157-M9	Replacement palm microphone	\$49.00
SPE-8000-01	60-watt projection horn, 6"x9", with stainless hardware	\$279.00
INT-8000	Remote intercom speaker with call button and bracket	\$59.00
SPE-0500-25	Remote speaker with bracket	\$55.00
KIT-0157-30	Flush mount Trim Ring	\$45.00
OPR-857	Operator's manual	\$15.00



Phone: 425.771.2182
 Fax: 425.771.2650
 7030 220TH St. SW
 Mountlake Terrace, WA 98043
sales@sea-dmi.com
 MSRP Ver 7.1 – Effective 1/1/07

SEA Marine Communications Equipment Price List

MSRP

SSB Marine Radiotelephones

US Dollars

235	150 Watt MF/HF/SSB Radiotelephone Email compatibility, and multi-mode "HAM" operating system for use in a wide variety of applications. For operation on 13.6 VDC negative ground.	\$2,199.00
235CF	SEA 235 with Cooling Fan Option	\$2,249.00
2350	SEA 235/2351/2351D Remote Controller (Up to four 2350 Remote controller may be installed.) <i>Note: Required controller interconnect cable (CAB-2250-XXX) sold separately.</i>	\$599.00
2351	SEA 235R Remote Transceiver	\$1,899.00
2351CF	SEA 2351 except with cooling fan installed	\$1,949.00
2351D	SEA 2351D Remote Transceiver for Data <i>Note: requires 1631 Tuner</i>	\$2,249.00

235/2351 Furnished with: Standard palm microphone, trunnion mounting bracket and operator's manual

235/2351 Options and Accessories:


MIC-0235-M9	Standard palm microphone	\$49.00
MIC-0002-031	Handset with cradle	\$199.00
CF235	235/2351 Cooling fan kit	\$50.00
KIT-0235-30	235 Flush mount trim ring/bracket	\$199.00
KIT-2350-06	2350 Flush mount brackets and trim ring	\$85.00
SPE-0500-25	Remote speaker with bracket	\$55.00
OPR-235	235/2351/2351D Operator's manual	\$39.00
MAN-235	235/2351/2351D Service manual	\$65.00
MAN-0001-001	Mariners Guide	\$29.00
CAB-2250-XXX	2350/2450/3300 Controller interconnect cable - bulk (lengths in excess of 150' in 50' increments - special order)	\$4.50 Per. FT

245A2	100/50 Watt MF/HF/SSB Radiotelephone for A2 GMDSS operations 24 VDC power operation. Available March 2007.	\$3,949.00
245A2-M	100/50 Watt MF/HF/SSB Radiotelephone with A2 operations and SEATOR modem 24 VDC power operation. Available April 2007.	\$4,299.00
2450	SEA 245/2450 Remote Controller for 2451 A2 or A3 transievers (Up to four 2450 Remote controller may be installed.) <i>Note: Required controller interconnect cable (CAB-2250-XXX) sold separately. Available March 2007.</i>	\$1,049.00
2451A2-M	100/50Watt Remote MF/HF SSB Transeiver unit with A2 operations & SEATOR modem 24 VDC power operation. Available March 2007.	\$3,949.00
2451A3-M	150/100/50 Watt "continuous duty" MF/HF SSB Transiever with A3 Controller / DSC Receivers & SEATOR modem 24 VDC power operation. Available July 2007.	\$4,949.00

245/2451 Furnished with: Standard palm microphone, trunnion mounting bracket and operator's manual

245/2451 Options and Accessories:


MIC-0235-M9	Replacement Palm MIC	\$49.00
MIC-0002-031	Handset with cradle	\$199.00
KIT-0235-30	245 Flush mount trim ring/bracket	\$199.00
KIT-2350-06	2450 Flush mount brackets and trim ring	\$85.00
SPE-0500-25	Remote speaker with bracket	\$55.00
OPR-245	Operator's manual	\$75.00
MAN-245	Service manual	\$150.00
MAN-0001-001	Mariners Guide	\$29.00
CAB-2250-XXX	2350/2450/3300 Controller interconnect cable - bulk (lengths in excess of 150' in 50' increments - special order)	\$4.50 Per. FT



Phone: 425.771.2182
 Fax: 425.771.2650
 7030 220TH St. SW
 Mountlake Terrace, WA 98043
sales@sea-dmi.com
 MSRP Ver 7.1 – Effective 1/1/07

SEA Marine Communications Equipment Price List

		MSRP
SSB Marine Radiotelephones (continued)		US Dollars
3301G	SEA 330 Remote Transceiver	\$5,499.00
3300G-00	SEA 330 Remote Controller Unit (Up to four 3300G-00 Remote controllers may be installed.) Note: Required controller interconnect cable (CAB-2250-XXX) sold separately.	\$999.00
3300GH-00	Same as SEA 3300G-00 with handset and cradle (Up to four 3300GH-00 Remote controllers may be installed.) Note: Required controller interconnect cable (CAB-2250-XXX) sold separately.	\$1,199.00
3300GH	Furnished with: Handset and cradle or standard palm microphone, flush mounting bezel, Trunnion mounting bracket and operator's manual	
330 Options and Accessories:		
MIC-0222-M9	Standard palm microphone	\$49.00
MIC-0002-015	Handset and cradle	\$249.00
SPE-0500-25	Remote speaker	\$55.00
OPR-330	Operator's manual	\$49.00
MAN-330	Service manual	\$99.00
MAN-0001-001	Mariners Guide	\$29.00
CAB-2250-XXX	2350/2450/3300 Controller interconnect cable - bulk (lengths in excess of 150' in 50' increments - special order)	\$4.50 Per. FT
MF/HF Guard Receivers		US Dollars
7001C1	2182 KHz Guard Receiver, Rack Mount, 110VAC for Commercial Marine Voice channel Guard receiver with ONE balanced line output, 19" rack mount chassis, 110VAC	\$2,925.00
7001C1-DSC	2187.5 KHz MF Guard Receiver, Rack Mount, 110VAC for Commercial Marine MF DSC Guard Receiver / De-Coder with ONE balanced line output, 19" rack mount chassis, 110VAC	\$2,925.00
7001C1-A	4125 KHz MFGuard Receiver, Rack Mount, 110VAC for Commercial Marine Voice channel Guard receiver with ONE balanced line output, 19" rack mount chassis, 110VAC	\$2,925.00
7001C1-RS	Amplified Remote Speaker- Rack Mounted, 110VAC power for Commercial Marine 19' rack mounted speaker system for 7001C voice receivers	\$2,925.00
7001C Options and Accessories		
MAN-7001C1	Service manual	\$199.00



Phone: 425.771.2182
 Fax: 425.771.2650
 7030 220TH St. SW
 Mountlake Terrace, WA 98043
sales@sea-dmi.com
 MSRP Ver 7.1 – Effective 1/1/07


SEA Marine Communications Equipment Price List

MSRP

Data Communications Radio Equipment

US Dollars

2320	SEABUSS to RS232 interface unit (required for email)	\$499.00
3000G	SEATOR Radiotelex Modem The SEA 3000G provides ship-to-ship and ship-to-shore radiotelex communications. The SEA 3000G is compatible with SEA and most other SSB radiotelephones. GMDSS approved. For operation on 8-32 VDC negative ground.	\$949.00
3000G Furnished with: Mounting tray, radio interconnect cable and PC serial interconnect cable		
3000G Options and Accessories:		
SFW-3000W-01	Windows PC application for SEATOR Modems	\$249.00
JNDZ-127-S1	Data Terminal w/SEA software for use with 3000G	\$5,499.00
6606HF	Color LCD Message Terminal w/keyboard for use with 3000G	\$5,499.00
OPR-3000G	Operator's manual	\$35.00
MAN-3000G	Service manual	\$45.00
7000G	SEACALL DSC HF/SSB Controller The SEA 7000G provides DSC, Necode, and advanced distress capabilities to an external SSB radiotelephone offering enhanced communications and safety. Operates on 12 VDC (-10%/+30%) isolated ground.	\$1,549.00
7000G Furnished with: Trunnion mounting bracket and operator's manual		
7000G Options and Accessories:		
7003	VHF or MF/HF Remote Alarm	\$399.00
KIT-0225-30	Flush mounting bracket	\$199.00
OPR-7000G	Operator's manual	\$45.00
MAN-7000	Service manual	\$49.00
7001G	SEAWATCH MF/HF Guard Receiver The SEA 7001G Watch Receiver works in conjunction with the SEA 7000G and SEA 330-GMD for operation from 10-14 VDC. The Receiver watches 2187.50 kHz and scans all MF/HF DSC channels.	\$1,949.00
7001G Furnished with: SEAWATCH Receiver, gimbal bracket, bridge instruction card and service manual		
7001G Options and Accessories:		
KIT-0225-30	Flush mounting kit	\$199.00
FAB-0225-27	Stack mounting bracket for SEA 7001G and SEA 7000G	\$99.00
OPR-7001	Bridge Card 12	\$10.00
MAN-7001	Service manual	\$49.00




Phone: 425.771.2182
 Fax: 425.771.2650
 7030 220TH St. SW
 Mountlake Terrace, WA 98043
sales@sea-dmi.com
 MSRP Ver 7.1 – Effective 1/1/07

SEA Marine Communications Equipment Price List

SSB Antenna Tuners		MSRP
		US Dollars
1612C	1.6–30MHz 150-Watt Automatic Antenna Tuner The 1612C is a weatherproof automatic antenna tuner designed for use with any 1.6 – 30 MHz, 150-watt transceiver. The 1612C accommodates most antenna configurations where tuning in the 4-meg and under bands is difficult. For operation on 13.6 VDC negative ground	\$995.00
1612C-B	As 1612C except with balanced output	\$1,449.00
1612WX	1612C with Antenna Grounding System	\$1,199.00
1612C Furnished with: Hardware and installation manual		
1630-00	1.6–30MHz 300-Watt Automatic Antenna Tuner The 1630 is a weatherproof automatic antenna tuner specifically designed for use with the SEA 330 system. For operation on 13.6 VDC negative ground. Note: Required tuner interconnect cable (CAB-1630-XXX) sold separately.	\$1,449.00
1630B-B	As 1630 except with balanced output.	\$1,499.00
1631	1.6–30MHz 300-Watt Automatic Antenna Tuner for SEA 235D The 1631 is a heavy duty weatherproof automatic antenna tuner specifically designed for long duty cycle use with the SEA 235D system. Note: Required controller interconnect cable (CAB-2250-XXX) sold separately. For operation on 13.6 VDC negative ground.	\$1,449.00
1630/1631 Furnished with: Hardware and installation manual		
1630/1631 Series Options and Accessories:		
CAB-1630-XXX	1630/1631 Tuner interconnect cable - bulk	\$4.50 Per. FT

GMDSS SYSTEMS SPARES


		MSRP
		US Dollars
KIT-0300-A3-1	SEA 300-A3-1 Console Manual Set	\$499.00
MAN-300-A3-1	Console Installation Manual	\$15.00
KIT-A3-1	Hardware Kit for 300A3 Console - unassembled	\$1,999.00
KIT-GMDSS-DLR	GMDSS Flyaway MF/HF Spares Kit	\$8,449.00
Spares kit consists of the following:		
1 ASY-0330-07G-N	Main/PA Assy. w/ SW	1 ASY-3001-01-N
1 ASY-0330-02-N	Filter Power Assy	5 FUS-0002-0R5
1 ASY-0330-05-N	24/12V Power Supply	5 FUS-0002-001
1 ASY-0330-03-N	Terminal Interface Assy	5 FUS-0002-002
1 ASY-0330-10G-U	Keypad Assy	5 FUS-0002-003
1 ASY-1630-01-N	Coupler Assy w/ SW	5 FUS-0002-005
1 ASY-7000-01-N	Main Board Assy w/ SW	5 FUS-0002-015
1 ASY-7001-01-N	Main Board Assy w/ SW	5 FUS-0002-030
1 ASY-3001-01-N	Main Board Assy w/SW	Main Board Assy w/SW
5 FUS-0002-0R5	Fuse, 500 MA 3AG	Fuse, 500 MA 3AG
5 FUS-0002-001	Fuse, 1 A AGC	Fuse, 1 A AGC
5 FUS-0002-002	Fuse, 2 A 125V	Fuse, 2 A 125V
5 FUS-0002-003	Fuse, 3 A 3AG	Fuse, 3 A 3AG
5 FUS-0002-005	Fuse, 5 A 3AG	Fuse, 5 A 3AG
5 FUS-0002-015	Fuse, 15 A 3AG	Fuse, 15 A 3AG
5 FUS-0002-030	Fuse, 30 A 3AG, 32V	Fuse, 30 A 3AG, 32V
KIT-0330-GMD	SEA 330-GMD Radiotelephone System	\$5,995.00
Spares kit consists of the following:		
1 ASY-0330-07G	Main/PA Assy. w/ SW	1 ASY-1630-01-N
1 ASY-0330-02-N	Filter Power Assy	5 FUS-0002-030
1 ASY-0330-05-N	24/12V Power Supply	5 FUS-0002-005
1 MIC-0002-015	Handset/Cradle	Coupler Assy w/ SW
		Fuse, 30 A 3AG, 32V
		Fuse, 1 A AGC



Phone: 425.771.2182
 Fax: 425.771.2650
 7030 220TH St. SW
 Mountlake Terrace, WA 98043
sales@sea-dmi.com
 MSRP Ver 7.1 – Effective 1/1/07

SEA Marine Communications Equipment Price List

		MSRP
GMDSS SYSTEMS SPARES (continued)		US Dollars
KIT-3000-GMD	SEA 3000G Radiotelex System	\$899.00
Spares kit consists of the following:		
1 ASY-3001-01-N	Main Board Assy w/SW	1 FUS-0002-0R5
		Coupler Assy w/ SW
KIT-7000-GMD	SEA 7000G MF/HF DSC Controller	\$749.00
Spares kit consists of the following:		
1 ASY-7000-01-N	Main Board Assy w/ SW	5 FUS-0002-003
		Fuse, 3 A 3AG
KIT-7001-GMD	SEA 7001G MF/HF WATCH Receiver	\$1,599.00
Spares kit consists of the following:		
1 ASY-7001-01-N	Main Board Assy w/ SW	5 FUS-0002-001
		Fuse, 1 A 3AG
KIT-7157-GMD	SEA 7157 VHF Radiotelephone	\$1,299.00
Spares kit consists of the following:		
1 ASY-7157-01-N	Main Board Assy w/ SW	1 ASY-7157-08
1 ASY-7157-02-N	DSC/CPU Board	5 FUS-0013-075
		Front Panel
		Fuse, 7.5 Amp
KIT-GMDSS	A3 console cable kit	\$125.00
Kit consists of the following:		
1 CAB-0322-001	SEABUSS™ Cable to interconnect SEA 3301G Transceiver to SEA 7001G Watch Receiver (6.5 feet)	
1 CAB-0322-006	SEABUSS™ Cable to interconnect SEA 3300G Controller to 3301G Transceiver (6.5 feet)	
1 ASY-7001-10	Interconnect Cable to interface with SEA 7001G Watch Receiver, SEA 7000G DSC Controller and Audio Cable to SEA 3301 Transceiver (cables 6 feet each).	
1 CAB-0003-003	1 Shielded Audio Cable to interface with SEA 7001G Watch Receiver to SEA 3301 Transceiver (cables 6 feet each).	
SATELLITE DATA COMMUNICATIONS: Thrane & Thrane		US Dollars
6003TG	Inmarsat-C maritime satellitetransceiver, with 256Kbyte buffer memory, NMEA interface, 10.5-32V DC supply, message handling and control software (MS DOS) and mounting hardware, INCLUDES option 005 - integrated 12-channel GPS-receiver, GMDSS SOLAS "BLUE"	\$4,999.00
6019	Maritime antenna w 32 Kbyte message capacity, incl. 5 M cable	\$2,249.00
Thrane & Thrane Optional Equipment:		
6608DC	DC Printer (10.5-32 VDC) w/Roll Paper Stand & Paper Roll	\$1,899.00
6042	Remote Distress Alarm	\$699.00
6606E	Color LCD Message Terminal (10.5 – 32 VDC) w/keyboard	\$5,499.00
6601E	Compact (PS/2) Keyboard for Inmarsat-C	\$325.00
6681	AC/DC Auto switching Power Supply, 8 amp continuous duty, (110/220 VAC 50/60 Hz & 24 VDC input, 24 DC out)	\$1,299.00
6097F	Cyrillic Printer Software – for SEA 6608 DC Printer	\$129.00
OPR-6003	Operator's Manual – Transceiver/Antenna	\$39.00
MAN-6003	Service Manual – Transceiver/Antenna	\$39.00



Phone: 425.771.2182
 Fax: 425.771.2650
 7030 220TH St. SW
 Mountlake Terrace, WA 98043
sales@sea-dmi.com
 MSRP Ver 7.1 – Effective 1/1/07

SEA Marine Communications Equipment Price List

MSRP

SATELLITE DATA COMMUNICATIONS: JRC

US Dollars

J-JUE-85	Inmarsat Sdt-C GMDSS (IME), Installation parts (IME), Antenna (EME), Installation parts (EME), Ant Cable (L=30m), Power Supply Unit, Power Cable, Data Terminal (DTE), Key Board, Signal Cable (DTE), Power Cable (DTE), Printer (ROP), Signal Cable (ROP), Power Cable (ROP), Instruction Manual (English), Spare Parts.	\$7,249.00
JRC Optional Equipment:		
J-CFQ-5922A4	Ant Cable (L=40m)	\$300.00
J-CFQ-5922A5	Ant Cable (L=50m)	\$375.00
J-NDZ-127C1	DTE(as option)	\$1,499.00
J-NDF-268	KeyBoard(as option)	\$135.00
J-7ZCSC0203	DTE Signal Cable(as option)	\$25.00
J-7ZCSC0204	DTE Power Cable(as option)	\$25.00
J-NCE-6255A	External Buzzer	\$299.00
J-NQE-877C	Distress Button	\$299.00
J-NQE-3154	SSAS Button	\$199.00

Power Supply Options

US Dollars

SSA10-DC	13.8 VDC output, heavy duty switching power supply, 10 Amp continuous current, input of 115VAC@60HZ (or alternate 220VAC@60HZ), Over voltage and Over Temp protection, weight 3.4lbs, dimensions 1 3/8 x 6 x 9 inches.	\$249.00
SSN2412-12	Heavy duty DC/DC converter, 22-32 VDC input, 13.8 VDC output, 10 Amp continuous current, Over voltage protected, weight 1.5lbs, dimensions 2 x 6.2 x 6 inches	\$195.00
SSABC10	Multi Stage automatic Charger/power supply, 90 to 135 VAC@48-62Hz/22 - 32 VDC Input @ 13.8VDC output, 10 Amp continuous, auto charge rates and Float voltage maintenance.	\$949.00
PT-24-40CE	Newmar, Power Supply/Charger 24V/40A	\$1,749.00
PT-PNL	Power Supply/Battery Charger Remote Panel	\$80.00

Datamarine Instruments

US Dollars

D3001/000	International Offshore® Depthsounder Large LCD display, depth 2.4 – 1200 Feet (or equivalent Fathoms or Meters), graphic depth history, depth offset, minimum and maximum depth alarms. NMEA output. Includes mounting yoke and flush mount kit. 12/24 VDC.	\$799.00
D3001 Options and Accessories:		
ADX-1191	Transducer, 120kHz, Stem Type, No Connector	\$235.00
D3201/000	Navigator® Speed/Log Large LCD display, speed 0.1 – over 50 Knots (Mph or Kph), average speed, trip/total log, elapsed time, temperature 25 – 90° Fahrenheit (Celsius). NMEA output. 200ppn output. Includes mounting yoke and flush mount kit. 12/24 VDC.	\$699.00
D3201 Options and Accessories:		
ASTX-20BTH	Bronze Speed/Temp Xducer, Thru-Hull	\$245.00
ASTX-20NTH	Nylon Speed/Temp Xducer, Thru-Hull	\$150.00